PRECISION LABORATORIES, LLC



Updated: October 13, 2021

Page **1** of **4** 

# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Intact™ Maxx

Manufacturer: Precision Laboratories, LLC

10016 55th Street Kenosha, WI 53144

Product Use: Volatility Reducing & Water Conditioner Agents, Drift Retardant

& Retention Aid

(Chemtrec Information 24 hours) (800) 424-9300 Emergency telephone number:

Customer Service, call: (847) 596-3001

### 2. HAZARDS IDENTIFICATION

#### **GHS Classification:**

Eye Irritation, Category 2A, H319



H319

Signal Word: Warning **Hazard Statements:** 

H319: Causes serious eye irritation.

# **Precautionary Statements:**

#### Prevention

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P103: Read label before use.

P264: Wash skin, protective equipment, and work clothes thoroughly after handling.

P280: Wear protective gloves and eye protection.

## Response

P305+P351+P338: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

# **COMPOSITION / INFORMATION ON INGREDIENTS**

Component **CAS Number** Weight % Polyethylene Glycol 25322-68-3 ≥10% - <20% \*\*\*\* **Proprietary Blend** ≥1% - <10%

## 4. FIRST AID MEASURES

IF SWALLOWED: Rinse mouth. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a

poison control center or doctor. Do not give any fluids to an unconscious person.

IF ON SKIN: Wash affected area with plenty of soap and water. Cold water may be used. If skin irritation occurs: Get medical

advice or attention.

IF INHALED: Move person to fresh air and keep comfortable for breathing. If person is having difficulty breathing, give

oxygen. If not breathing, give artificial respiration.

PRECISION LABORATORIES, LLC



Page **2** of **4** 

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. If eye irritation persists: Get medical advice or attention.

Medical Conditions Aggravated by Overexposure: Repeated or prolonged exposure is not known to aggravate medical condition.

Other Effects: This product is not a carcinogen by NTP, OSHA and ACGIH.

### 5. FIREFIGHTING MEASURES

Suitable Extinguishing media: Alcohol foam, dry chemical, CO<sub>2</sub>, water spray. Water jet not recommended due to frothing. Specific Hazards: Product will burn under fire conditions.

PPE and Precautions: Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.

Hazardous Decomposition Products of Combustion: Hydrogen cyanide, Ammonia, Oxides of nitrogen, sulfur, carbon and silicon.

# 6. ACCIDENTAL RELEASE MEASURES

In Case of Spill: Evacuate the spill area, except for cleanup personnel. Wear personal protective equipment (PPE). Control spill with adsorbent pads or booms. Recover free liquid. For recovery or disposal, add inert absorbent (sand, earth, sawdust, etc.) to spill area and shovel into containers for disposal. Product is slippery under foot; flush smooth surfaces thoroughly. Spills may be reportable to the National Response Center (800-424-8802) in the U.S.

Disposal: Dispose of collected waste in accordance with federal, state and local regulations.

# 7. HANDLING AND STORAGE

Handling Procedures: Avoid inhalation of vapor or mist. Avoid contact with skin and eyes. Mix thoroughly. Do not freeze.

Freezing will affect the physical condition but will not damage the material. Thaw and mix before using.

Ethylene oxide may collect in container head space. Provide adequate ventilation.

Storage Procedures: Keep container tightly closed in a dry and well-ventilated place. Keep away from incompatible materials to

be indicated by the manufacturer. Do not freeze. Do not mix with incompatible materials.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits: Polyethylene glycol (aerosol), WEEL, 10-mg/m3, American Industrial Hygiene Association

Eye/Face Protections: Wear protective eyewear. Contact lenses should not be worn when working with chemicals. Skin Protection: To minimize skin contact, wear: chemically impervious gloves, long-sleeved shirt, long pants,

socks and shoes. As precautions, wash hands and face with mild soap and water before eating, drinking, smoking or using restroom. After each shift, clean all protective equipment, wash work

clothes, and shower.

Respiratory Protection: Not required under normal use conditions with good ventilation. Protect against spray mists.

Respirator recommended in areas of poor ventilation.

General Protection: Eye wash fountains and drench showers should be located within a 10 second walk from the

work area per ANSI Z358.1-2009.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Biege to Slightly yellow Evaporation Rate (BuAc=1): N/D Form: Viscous liquid Flammability: N/D Odor: N/D Characteristic UEL: N/D pH: 6.5 - 8.5 (100%)LEL: Melting Point: Vapor Pressure: N/D N/D Freezing Point: N/D Vapor Density: N/D

Boiling Point: 193.3 °F (89.6 °C) Density lbs/gl: 9.2-10.84 (at 68°F (20°C))

Flash Point: >212°F (100°C) closed cup Solubility: Water Soluble

PRECISION LABORATORIES, LLC

PRECISION<sup>®</sup>
LABORATORIES
Updated: October 13, 2021

Page **3** of **4** 

Partition Coefficient: N/D Viscosity: N/D

Autoignition Temperature: N/D

Decomposition Temperature: 350.35°F (176.86 °C)

#### 10. STABILITY AND REACTIVITY

Stability: Stable

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Condition to Avoid: Extreme heat, open flame and ignition sources.

Incompatible Materials: Strong reducing agents and strong oxidizing agents.

Hazardous Decomposition Products: Carbon oxides.

# 11. TOXICOLOGICAL INFORMATION

No toxicological data is available for this product.

# 12. ECOLOGICAL INFORMATION

No ecological data is available for this product.

#### 13. DISPOSAL CONSIDERATIONS

Component Waste Numbers: No EPA Waste Numbers are applicable for this product's components.

Disposal Instructions: Dispose of material in compliance with applicable federal, state and local environmental

regulations. Recycle or rework material if at all possible. Incinerate material at an approved facility, or treat at an acceptable waste treatment facility or municipal waste

treatment plant after proper testing and approval of waste samples.

Container Reuse: An empty container can contain product residue, and should not be reused. If not

professionally cleaned and reconditioned, crushing or other means is recommended to

prevent unauthorized reuse.

# 14. TRANSPORT INFORMATION

DOT Status (Highway and rail): Not Regulated IATA Status (Air): Not Regulated

Marine Pollutant: No

### 15. REGULATORY INFORMATION

TSCA: All components of this product are listed under the regulation of the Toxic Substance Control Act.

Canadian Domestic Substances List (DSL): Listed

Australia Inventory of Chemical Substances (AICS): Listed

Japan. CSCL - Inventory of Existing and New Chemical Substances: One or more components not listed on inventory

Korea. Korean Existing Chemicals Inventory (KECI): Listed on Inventory

China. Inventory of Existing Chemical Substances in China (IECSC): One or more components not listed on inventory Philippines Inventory of Chemicals and Chemical Substances (PICCS): One or more components not listed on inventory

Taiwan Chemical Substance Inventory (TCSI): Listed on Inventory

New Zealand. Inventory of Chemical Substances: All components are listed on the NZIoC inventory. Additional HSNO obligations r Please refer to Section 15 of SDS for New Zealand.

EU. European Registration, Evaluation, Authorization and Restriction of Chemical (REACH: When purchased from a Solvay legal er the EEA ("European Economic Area"), this product is compliant with the registration provisions of the REACH Regulation (EC) No. all its components are either excluded, exempt, and/or registered. When purchased from a legal entity outside of the EEA, please local representative for additional information.

PRECISION LABORATORIES, LLC



Page **4** of **4** 

SARA HAZARD TITLE III: Sections 311/312: Acute health hazard.

Section 313 Toxic Chemicals (40 CFR 372.65)

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Section 302 Emergency Planning Extremely Hazardous Substance Threshold Planning Quantity (40 CFR 355)

Ethylene oxide; CAS No. 75-21-8; RQ: 10 lbs

Section 304 Emergency Release Notification Reportable Quantity (40 CFR 355)

Ethylene oxide; CAS No. 75-21-8; RQ: 10 lbs

US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)

Acetic Acid; CAS No. 64-19-7; RQ 5,000 lbs Ethylene Oxide; CAS No. 75-21-8; RQ 10 lb Sodium hydroxide (Na(OH)); CAS No. 1310-73-2; RQ 1000 lb 1,4-Dioxane; CAS No. 123-91-1; RQ 100 lb Acetaldehyde; CAS No. 75-07-0; RQ 1000 lb

State: This product contains the following components that are regulated under California Proposition 65:

Silica (CAS # 7631-86-9), Acetaldehyde (CAS # 75-07-0), Ethylene Oxide (CAS # 75-21-8), 1,4-Dioxane (CAS # 123-91-1)

WHMIS: N/D

### **16. OTHER INFORMATION**

Date Prepared: September 9, 2021 Last Updated: October 13, 2021

WHILE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREON, PRECISION LABORATORIES, LLC MAKES NO WARRANTY WITH RESPECT THERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.

N/R-Not Rated

N/D—Not Determined

N/A—Not Applicable

N/E—Not Established

EPA = Environmental Protection Agency; TSCA = Toxic Substance Control Act; ACGIH = American Conference of Governmental Industrial Hygienists; IARC = International Agency for Research on Cancer; NIOSH = National Institute for Occupational Safety and Health; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration., NJTSR = New Jersey Trade Secret Registry.