PRECISION LABORATORIES, LLC



Page 1 of 5

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: MSO Ultra™

Supplier: PRECISION LABORATORIES, LLC

10016 55<sup>th</sup> Street Kenosha, WI 53144

Product Use: Methylated Soy Oil Plus Surfactant

Emergency telephone number: (Chemtrec Information 24 hours) (800) 424-9300

Customer Service, call: (847) 596-3001

## 2. HAZARDS IDENTIFICATION

#### **GHS Classification:**

Acute Tox (Oral), Category 4, H302 Skin Irritation, Category 2, H315 Eye Irritation, Category 2B, H320 Acute Tox (Inhalation), Category 4, H332



H302,H315,

H320,H332

**Signal Word:** Warning **Hazard Statements:** 

H303: May be harmful if swallowed

H315: Causes skin irritation.

H320: Causes eye irritation.

H332: Harmful if inhaled.

#### **Precautionary Statements:**

### Prevention

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P103: Read label before use.

P261: Avoid breathing dust/fume/gas/mist/vapors/spray.

P264: Wash protective equipment and work clothes thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

### Response

P302+P352: IF ON SKIN: Wash with plenty of water.

P304+P340: If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312: Call a poison center/doctor or Chemtrec if person feels unwell.

P321: Treat symptomatically.

P332+P313: If skin irritation occurs: Get medical advice or attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

PRECISION LABORATORIES, LLC

PRECISION

LABORATORIES

Updated: October 17, 2021

Page 2 of 5

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

Disposal

P501: Dispose of contents/container to disposal plant in accordance with federal, state and local regulations.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Component</u>	CAS Number	Weight %
Methyl esters, biodiesel	67762-29-6	75 – 95
Nonylphenol ethoxylated	127087-87-0	5 – 15

#### 4. FIRST AID MEASURES

IF SWALLOWED: Call a POISON CENTER/doctor or Chemtrec if person feels unwell. Rinse mouth. Have person sip a glass of water

if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give

anything to an unconscious person.

IF ON SKIN: Wash affected area with plenty of soap and water. Use tepid water if available. If skin irritation occurs: Get

medical advice or attention. Treat Symptomatically. Take off contaminated clothing and wash it before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If person is having difficulty breathing, give

oxygen. If not breathing, give artificial respiration. Call a POISON CENTER/doctor or Chemtrec if person feels

unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. If eye irritation persists: Get medical advice or attention.

Medical Conditions Aggravated by Overexposure: Repeated or prolonged exposure is not known to aggravate medical condition.

Other Effects: This product is not a carcinogen by NTP, OSHA and ACGIH.

# 5. FIREFIGHTING MEASURES

Suitable Extinguishing media: Water spray, foam, CO<sub>2</sub>, or dry chemicals may be used in areas where this product is stored. Use water spray to cool fire-exposed containers and to protect personnel.

Specific Hazards: None

PPE and Precautions: Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing. Heat may build pressure and rupture closed containers, spreading fire and increasing the risk of injury. Notify proper authorities if liquid material enters the sewer or public water.

# 6. ACCIDENTAL RELEASE MEASURES

In Case of Spill: Evacuate the spill area, except for cleanup personnel. Wear NIOSH/OSHA-approved respirator, splash goggles,

full suit, boots and gloves. Control spill with adsorbent pads or booms. Recover free liquid. For recovery or disposal, add inert absorbent (sand, earth, sawdust, etc.) to spill area and shovel into containers for disposal.

Product is slippery under foot; flush smooth surfaces thoroughly.

Disposal: Dispose of collected waste in accordance with federal, state and local regulations.

#### 7. HANDLING AND STORAGE

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Keep away from heat, sparks and flame. Keep container closed. Wear appropriate equipment and clothing to prevent eye contact and repeated or prolonged skin contact as referenced in Section 8 below. Use in areas with adequate mechanical exhaust ventilation, or wear respirator. **Protect product from freezing.** Keep containers sealed when not in use. Store in original container only.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits: N/D

Eye/Face Protections: Wear splash-proof chemical safety goggles. Contact lenses should not be worn when working

with chemicals.

## PRECISION LABORATORIES, LLC

Updated: October 17, 2021

Page 3 of 5

Skin Protection:

Wear chemically impervious gloves, long-sleeved shirt, pants, shoes and socks to minimize skin contact. As precautions, wash hands and face with mild soap and water before eating, drinking,

smoking or using restroom. After each shift, clean all protective equipment, wash work clothes,

and shower.

Not required under normal use conditions with good ventilation. Protect against spray mists. Respiratory Protection:

Respirator recommended in areas of poor ventilation.

General Protection: Avoid contact with skin, eyes and clothing. Avoid breathing vapors. Wash thoroughly after

handling product. Eye wash fountains and drench showers should be located within a 10 second

walk from the work area per ANSI Z358.1-2009. Keep vapor concentration below 50 ppm.

General dilution recommended.

When selecting personal protective equipment and clothing, follow all of the manufacturer Note:

> specifications and recommendations that apply to your specific operation and processing conditions. Take into consideration all working conditions and all chemicals to be handled or

processed.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, straw-colored liquid UEL: N/D Odor: Fatty ester/alcohol odor LEL: N/D Odor Threshold: N/D Vapor Pressure: N/D :Ha 5.5 - 6.5Vapor Density: N/D

Melting Point: N/A Relative Density (lbs/gl):  $7.45 \pm 0.05$ 

Freezing Point: N/D Solubility: Dispersible in water

**Boiling Point:** >200°F Partition Coefficient: N/D Flash Point: N/D Autoignition Temperature: N/D Decomposition Temperature: N/D **Evaporation Rate:** N/D

Flammability: N/A

### 10. STABILITY AND REACTIVITY

Stability: Stable

Possibility of Hazardous Reactions: Hazardous polymerization will not occur

Condition to Avoid: N/A

Incompatible Materials: Strong oxidizing agents. Isolate from open flame and heat. Keep material away from

aluminum metal, oleum and nitroform.

Incomplete combustion may yield carbon monoxide, carbon dioxide and other hazardous **Hazardous Decomposition Products:** 

gas.

#### 11. TOXICOLOGICAL INFORMATION

LD50 > 5,000 mg/kgAcute Oral Toxicity:

Acute Eye Irritation: Corneal involvement or other eye irritation clearing in 7 days or less

Acute Dermal Irritation: Moderately irritating LD50 > 2,000 mg/kg Acute Dermal Toxicity:

Acute Inhalation: N/D

Component Carcinogenicity: None of this product's components are listed by ACGIH, IARC, OSHA, NIOSH, or NTP.

### 12. ECOLOGICAL INFORMATION

DAPHNIA MAGNA

24 hours EC50 >100 mg/L

PRECISION LABORATORIES, LLC



Updated: October 17, 2021

Page **4** of **5** 

48 hours EC50 92 mg/L 95% confidence limit 54-156 mg/L Highest test concentration resulting in 0% immobilization 2.2 mg/L Lowest test concentration resulting in 100% immobilization >100 mg/L

**RAINBOW TROUT** 

96 hour LC50 is 24 mg/L

The "no observed effect level" is 4.6 mg/L

## 13. DISPOSAL CONSIDERATIONS

Component Waste Numbers: No EPA Waste Numbers are applicable for this product's components.

Disposal Instructions: Dispose of material in compliance with applicable federal, state and local environmental

regulations. Recycle or rework material if at all possible. Incinerate material at an approved facility, or treat at an acceptable waste treatment facility or municipal waste

treatment plant after proper testing and approval of waste samples.

Container Reuse: An empty container can contain product residue, and should not be reused. If not

professionally cleaned and reconditioned, crushing or other means is recommended to prevent unauthorized reuse. Discarded product is not an RCRA hazardous waste under 40 CFR 261. Dispose of container to disposal plant in accordance with federal, state and local

regulations.

# 14. TRANSPORT INFORMATION

DOT Status (Highway and rail): Not Regulated IATA Status (Air): Not Regulated

Marine Pollutant: No

### 15. REGULATORY INFORMATION

TSCA: All components of this product are listed under the regulation of the Toxic Substance Control Act.

#### **SARA HAZARD:**

SARA Hazard Designation Sections 311/312 (40 CFR 370)

Fire Hazard: No Reactivity Hazard: No

Sudden Release of Pressure Hazard: No

Acute Health Hazard: No

Chronic Health Hazard: No

Section 313 Toxic Chemicals (40 CFR 372.65): No chemicals in this material are subject to the reporting requirements of SARA

Title III, Section 313.

Section 302 Emergency Planning Extremely Hazardous Substance Threshold Planning Quantity (40 CFR 355): No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (40 CFR 63)

**Ingredient CAS Number** 

Methanol 67-56-1

State Regulations: This product contains the following components that are regulated under California Proposition 65:

Ingredient CAS Number Category

Methanol 67-56-1 Developmental

#### **WHMIS Product Classification**

D2A – Materials causing other toxic effects, very toxic material. This classification reflects the presence of a hazardous component at a level greater than 0.1%. (Methyl alcohol – teratogenicity in animals; embryotoxicity in animals).

PRECISION LABORATORIES, LLC

Updated: October 17, 2021

Page 5 of 5

**WHMIS Ingredient Disclosure List IDL** 

Ingredient Weight % WHMIS IDL WHMIS Threshold Limits

Methanol ≤ 0.2% Listed 0.1%

(NPRI) Canadian National Pollutant Release Inventory

Ingredient Weight % NPRI

Methanol ≤ 0.2% Part 1, Group A Substance; Part 5, Individual Substances; Part 4 Substance

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

### **16. OTHER INFORMATION**

HMIS Hazard Rating
Health: 1
Flammability: 1
Reactivity: 0
Personal Protection: X



Date Prepared: April 1, 2016 Last Updated: May 16, 2024

WHILE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREON, PRECISION LABORATORIES, LLC MAKES NO WARRANTY WITH RESPECT THERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.

# PRECISION LABORATORIES, LLC

PRECISION

LABORATORIES
Updated: April 1, 2016
Page 5 of 5

N/R—Not Rated N/D— Not Determined N/A— Not Applicable N/E—Not Established

EPA = Environmental Protection Agency; TSCA = Toxic Substance Control Act; ACGIH = American Conference of Governmental Industrial Hygienists; IARC = International Agency for Research on Cancer; NIOSH = National Institute for Occupational Safety and Health; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration., NJTSR = New Jersey Trade Secret Registry.